



ELSEVIER

Carbohydrate Research 264 (1994) C15–C17

CARBOHYDRATE
RESEARCH

CONTENTS

Modeling of aldopyranosyl ring puckering with MM3(92) M.K. Dowd, A.D. French (New Orleans, LA, USA) and P.J. Reilly (Ames, IA, USA)	1
Synthesis and investigation of the possible insulin-like activity of 1D-4-O- and 1D-6-O-(2-amino-2-deoxy- α -D-glucopyranosyl)- <i>myo</i> -inositol 1-phosphate and 1D-6-O-(2-amino-2-deoxy- α -D-glucopyranosyl)- <i>myo</i> -inositol 1,2-(cyclic phosphate) A. Zapata, Y. León, J.M. Mato, I. Varela-Nieto, S. Penadés and M. Martín-Lomas (Madrid, Spain)	21
A new route to some enantiomerically pure substituted morpholines from D-ribono- and D-gulono-1,4-lactones K. Bennis, P. Calinaud, J. Gelas and M. Ghobsi (Aubière, France)	33
Synthesis of a fucosylated and a non-fucosylated core structure of xylose-containing carbohydrate chains from N-glycoproteins J.G.M. Van der Ven (Utrecht, Netherlands), J. Kerékgyártó (Debrecen, Hungary), J.P. Kamerling (Utrecht, Netherlands), A. Lipták (Debrecen, Hungary) and J.F.G. Vliegenthart (Utrecht, Netherlands)	45
Heteropolysaccharides of the lichen <i>Evernia prunastri</i> A.Z.A. Teixeira, M. Iacomini (Curitiba, PR, Brazil), B. McCune (Corvallis, OR, USA) and P.A.J. Gorin (Curitiba, PR, Brazil)	63
Structure of the putative O10 antigen from <i>Acinetobacter baumannii</i> S.R. Haseley and S.G. Wilkinson (Hull, United Kingdom)	73
Isolation and structural characterization of <i>endo</i> -rhamnogalacturonase-generated fragments of the backbone of rhamnogalacturonan I J. An, L. Zhang, M.A. O'Neill, P. Albersheim and A.G. Darvill (Athens, USA)	83
Structural and molecular properties of a water-soluble arabinoxylan–protein complex isolated from rye bran A. Ebringerová, Z. Hromádková (Bratislava, Slovakia) and G. Berth (Bergholz-Rehbrücke, FRG)	97
α -(2 \rightarrow 3)- and α -(2 \rightarrow 6)-Sialyltransferase activities present in three variants of Ehrlich tumor cells: identification of the products derived from <i>N</i> -acetylglucosamine and β -D-Gal-(1 \rightarrow 3)- α -D-GalNAc-(1 \rightarrow O)-Bn S. Shigeta, H.C. Winter and I.J. Goldstein (Ann Arbor, MI, USA)	111

Notes

The structure of the O-specific polysaccharide of <i>Citrobacter freundii</i> O32, a partially O-acetylated homopolymer of 3,6-dideoxy-3-(L-glyceroylamino)- α -D-galactopyranose N.A. Kocharova, Y.A. Knirel, A.S. Shashkov, N.K. Kochetkov, E.V. Kholodkova and E.S. Stanislavsky (Moscow, Russian Federation)	123
Structure of the polysaccharide Zanflo elaborated by <i>Erwinia tahitica</i> ATCC 217 11 A. Johansson (Stockholm, Sweden), P.-E. Jansson (Huddinge, Sweden) and G. Widmalm (Stockholm, Sweden)	129
High resolution solid state ^{13}C NMR study of crystalline methyl D-xylopyranoside anomeric mixtures M. Bardet and M. Vincendon (Grenoble, France).	135
Synthesis and spontaneous dimerization of the tri-O-benzyl derivative of "2-keto-1-C-methylene-D-glucopyranose" (2,6-anhydro-4,5,7-tri-O-benzyl-1-deoxy-D-arabino-hept-1-en-3-ulose) O.R. Martin and F. Xie (Binghamton, NY, USA)	141
Improved preparation of (\pm) -(1,3/2,4)-5-cyclohexene-1,2,3,4-tetrol [(\pm) -conduritols] and its reaction with hydrobromic and hydrochloric acid; synthesis and characterisation of some (\pm) -1-deoxy-1-halo- and (\pm) -1,4-dideoxy-1,4-dihalo-conduritols Z.-X. Guo, A.H. Haines, S.M. Pyke, S.G. Pyke and R.J.K. Taylor (Norwich, United Kingdom).	147
Efficient preparation of allyl 2,3,6,2',3',6'-hexa-O-benzyl- β -lactoside and its use as a glycosyl acceptor for chain extension at O-4' F. Dasgupta and L. Anderson (Madison, WI, USA).	155
<i>Regular papers</i>	
Crystal structure and molecular mechanics analysis of methyl 6-O-(N-heptylcarbamoyl)- α -D-glucopyranoside (HECAMEG) S.B. Engelsen, S. Pérez (Nantes, France), L. Toupet and D. Plusquellec (Rennes, France) . .	161
Conformational features of rhamnopyranose derivatives. The molecular structure of methyl 2,3,4-tri-O-acetyl- α -L-rhamnopyranoside M.A. Shalaby, F.R. Fronczek and E.S. Younathan (Baton Rouge, LA, USA)	173
Conformations and structure studies of sugar lactones in the solid state. Part I. The molecular structure of L-rhamnono- and L-mannono-1,4-lactones M.A. Shalaby, F.R. Fronczek and E.S. Younathan (Baton Rouge, LA, USA)	181
Conformations and structure studies of sugar lactones in the solid state. Part II. The molecular structure of α -D-glucosaccharino- γ -lactone: 2-C-methyl-D-ribo-pentono-1,4-lactone M.A. Shalaby, F.R. Fronczek, E.S. Younathan (Baton Rouge, LA, USA), G.J.B. Williams (Bohemia, NY, USA) and L.H. Straver (Delft, Netherlands).	191
Selective defucosylation by mercaptolysis. A potential step in analyzing branched oligosaccharides J. Lehmann, S. Petry, M. Scheuring and M. Schmidt-Schuchardt (Freiburg i. Br., Germany). .	199
Synthesis of neoglycolipids containing a mucin-type core unit R. Horie and K. Nakano (Kanagawa, Japan).	209

Transition metal-saccharide interactions: Synthesis and characterization of vanadyl saccharides A. Sreedhara, M.S. Srinivasa Raghavan and C.P. Rao (Bombay, India)	227
Transglucosylation with 6'-chloro-6'-deoxysucrose and immobilized isomaltulose-producing microorganisms using 2,2-dimethyl-1,3-dioxolane-4-methanol and its related compounds as acceptors. Steric and chemical requirement of the glucosyl acceptor H. Kakinuma, Y. Tsuchiya, M. Tanaka, S. Horito and H. Hashimoto (Yokohama, Japan) . . .	237
Synthetic studies toward pyruvate acetal-containing saccharides: en route to the efficient synthesis of <i>Rhizobium</i> -related exopolysaccharide fragments E. Eckhardt and T. Ziegler (Stuttgart, Germany)	253
Structure of the unusual trisaccharide lipopolysaccharide component produced by a symbiotically defective mutant of <i>Rhizobium leguminosarum</i> biovar <i>viciae</i> R.I. Hollingsworth, Y. Zhang (East Lansing, MI, USA) and U.B. Priefer (Aachen, Germany). . .	271
Purification and properties of an exo-(1 → 3)- β -D-galactanase from <i>Aspergillus niger</i> P. Pellerin and J.-M. Brillouet (Montpellier, France)	281
Analysis of oligosaccharides containing 2-deoxy- α -D-arabino-hexosyl residues by the reductive-cleavage method P. Mischnick, B. Evers and J. Thiem (Hamburg, Germany)	293
Structure of the O16 polysaccharide from <i>Escherichia coli</i> O16:K1: an NMR investigation B. Jann, A.S. Shashkov, H. Kochanowski and K. Jann (Freiburg, Germany)	305
<i>Notes</i>	
The structure of the O-specific polysaccharide of the lipopolysaccharide from <i>Chromobacterium violaceum</i> NCTC 9694 E.V. Vinogradov, H. Brade and O. Holst (Borstel, FRG)	313
Structure and taste of 4,4',6,6'-tetrachloro-4,4',6,6'-tetra-deoxy- α , α -galacto-trehalose C.-K. Lee (Kent Ridge, Singapore) and A. Linden (Zürich, Switzerland).	319
<i>Preliminary communication</i>	
Synthesis of a novel CMP-Neu5Ac analogue: CMP-[α -Neu5Ac-(2 → 8)-Neu5Ac] Y. Kajihara, K. Koseki, T. Ebata, H. Kodama, H. Matsushita and H. Hashimoto (Yokohama, Japan)	C1
<i>Erratum</i>	
Models for the action of barley alpha-amylase isozymes on linear substrates E.A. MacGregor, A.W. MacGregor, L.J. Macri and J.E. Morgan (Winnipeg, MB, Canada) . .	C7
<i>Author index</i>	C9
<i>Subject index</i>	C11